

ASX ANNOUNCEMENT

29 January 2025

Campfire Bore yields 100 g/t gold in first MEU program

Marmota Limited (ASX: MEU) ("Marmota")

Marmota (ASX:MEU) is very pleased to announce the detailed 1m split assay results for Holes 11 to 86 of Stage 1 of Marmota's first ever drilling program at the Campfire Bore gold discovery.

The detailed 1m assays feature bonanza grade gold of 107 g/t (at 57m below surface), five intersections over 20 g/t, and 13 intersections of high-grade gold over 10 g/t.

Initial 4m composite results were reported to the ASX on 9 Dec 2024 including 1m splits from Holes 1 to 10. This announcement provides the high-quality 1m splits just received for Holes 11 to 86 of Stage 1 drilling.


Highlights include: [see Table 1]

- 107 g/t gold from 57m to 58m below surface in Hole 24CBRC062 in an area previously undrilled
- 5 intersections over 20 g/t gold
- 13 intersections over 10 g/t gold including 5m @ 12g/t, 3m @ 11 g/t and 3m @ 10 g/t

The program has already identified and developed a high-grade zone to the south (see Figures 1 and 2), and identified priority open extensions including thick intervals close to surface [ASX:MEU 9 Dec 2024]. Almost the entire southern block appears open (closer to surface) to the south and east.

Marmota Chairman, Dr Colin Rose, said:

" Marmota is progressing a pipeline of gold deposits in the Gawler Craton, to follow on after Aurora Tank. We are delighted to already be finding bonanza grade gold over 100 g/t in the first stage of our first ever drilling program at Campfire Bore. "



Page 2

Figure 1: Campfire Bore – Plan Overview (Projection to surface: Best downhole gold results)




Figure 2: Campfire Bore – Detail view of Southern Pod

Table 1Campfire BoreFirst Marmota DrillingOct 2024

Significant 1m Gold Intersections \geq 9 g/t Au

u Stage 1: for Holes 11 to 86 only

Depth Depth To Intercept Easting Northing DIP EOH Au g/t Hole ID AZM From (m) Width (m) (m) 6,722,622 107 24CBRC062 381,829 -60 127 90 57 58 1 24CBRC016 381,576 6,722,515 70 73 -60 127 234 3 11 70 71 1 26 including 24CBRC021 381,632 6,722,520 -60 127 198 30 31 1 9.4 100 105 5 and 12 102 103 1 25 including 24CBRC018 381,624 6,722,495 -60 82 22 127 186 83 1 24CBRC039 381,597 6,722,609 127 132 -60 198 134 2 11 142 145 3 10 and 144 including 145 1 22 24CBRC015 381.574 6,722,502 -60 127 64 68 5.6 4 192 64 65 1 including 18 24CBRC031 381,572 142 144 6,722,597 -60 127 312 2 12 142 143 1 17 including 24CBRC033 381,621 6,722,513 127 43 47 5.5 -60 234 4 44 45 including 1 16 6,722,569 8.9 24CBRC035 381,650 -60 127 192 56 58 2 including 56 57 1 14 24CBRC045 381,722 6,722,577 127 42 46 8.1 -60 4 102 44 45 including 1 12 24CBRC049 381,726 6,722,590 53 7.2 51 2 -60 127 114 52 including 51 1 11 24CBRC043 381,661 6,722,592 -60 127 114 70 73 3 5.9 including 70 71 1 10 24CBRC073 381,953 6,722,701 48 49 -60 127 78 1 9.5 24CBRC032 381,590 6,722,520 -60 127 270 71 73 2 5.7 including 71 72 1 9.4

* 'Depth From' and 'Depth To' denote depth from surface (rounded to nearest metre)

[Intersections over 10 g/t gold in red]

About the program: Campfire Bore October RC (Stage 1 Drilling)

- Campfire Bore is part of Marmota's new Golden Moon JV together with JV partner Coombedown Resources Pty Ltd ('Coombedown') [see ASX:MEU 9 April 2024].
- Marmota (via Half Moon) has 90% ownership [see ASX:MEU 9 April 2024].
- The program is the first drilling at Campfire Bore since 2018 [see ASX:MEU 10 Sept 2024, 21 Oct 2024]
- This is the first part of Marmota's first drill program at Campfire Bore.
- Stage 1: Stage 1 consists of 86 RC holes for 11,690 m.
- Stage 2: Stage 2 consists of the blue triangle ▲ holes in Fig. 1 (not yet drilled) + additional holes to be planned to follow-up the high-grade intercepts identified in the Stage 1 drilling.
- On 9 Dec 2024, Marmota reported 4m composites from the Stage 1 drilling (via aqua regia) and detailed highquality 1m splits for Holes 1 to 10 via fire assay [ASX:MEU 9 Dec 2024]. In this announcement, Marmota reports the 1m splits (just received) for Holes 11 to 86.

Potential to Grow

- Campfire Bore has had **minimal drilling** compared to Aurora Tank and is not nearly as advanced.
- It features significant gold mineralisation over a strike of more than 1.5km.
- Many of the pre-existing holes at Campfire Bore appear far too shallow, sometimes being only 20m or 30m in depth.
- Campfire Bore has **enormous potential to grow**.
- The role of the program is to identify high-grade extensions to further grow the resource, and to advance Campfire Bore so that Marmota has a pipeline of proximal gold projects ready to go after Aurora Tank.




Figure 3: Location of Campfire Bore and Marmota's adjacent Gold and Titanium projects

For further information, please contact:

Marmota Limited

Dr Colin Rose	Executive Chairman
Email:	<u>colin@marmota.com.au</u>

Unit 6 79-81 Brighton Road Glenelg SA 5045 ABN: 38 119 270 816 T: (08) 8294 0899 www.marmota.com.au

About Marmota Limited

Marmota Limited (ASX:MEU) is a South Australian mining exploration company focused on gold, uranium and titanium. Gold exploration is centred on the Company's gold discovery at Aurora Tank that is yielding outstanding intersections in the highly prospective and significantly underexplored Gawler Craton in the Woomera Prohibited Defence Area. The Company's flagship uranium resource is at Junction Dam adjacent to the Honeymoon mine. For more information, please visit: www.marmota.com.au

Competent Persons Statement

Information in this Release relating to Exploration Results is based on information compiled by Aaron Brown, who is a Member of The Australian Institute of Geoscientists and Executive Director of Exploration at Marmota. He has sufficient experience relevant to the styles of mineralisation and types of deposits under consideration and to the activities being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code of Reporting of Exploration Results, Mineral Resources and Ore Reserves." Mr Brown consents to the inclusion in this report of the matters based on this information in the form and context in which they appear.

Where results from previous announcements are quoted, Marmota confirms that it is not aware of any new information or data that materially affects the information included in the relevant market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed.

For the purpose of ASX Listing Rule 15.5, the Board has authorised for this announcement to be released.

APPENDIX 1 JORC Code, 2012 Edition – Table 1 report

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections)

Criteria	JORC Code explanation	Commentary
Sampling techniques	 Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverized to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information. 	 2024 RC drilling at Campfire Bore was carried out in Sept/Oct 2024 (ASX:MEU 21 Oct 2024) and included 86 RC holes for 11,690m. Composite 4m samples: 4m composites were first collected using a 50mm PVC tube 'spear' to collect representative samples from bags. Composite samples were an average weight of 2.1 kg which were pulverised to produce sub samples for lab assay using Aqua Regia. Aqua Regia: Following a 50g aqua regia gold digestion, an aliquot is removed from the resultant liquor and analysed by ICP-MS for Gold. Splits 1m samples: 1m splits were collected using the drilling cyclone and kept at the drill site location until the list of 1m samples were prepared from the 4m composite results. Following testing of 4m composite samples down the entire length of the hole, selected 1 metre splits were sent for high-quality analysis by Fire Assay. 1m splits bags submitted for analysis were an average weight of 2.6kg which were pulverised to produce sub samples for lab analysis using Fire Assay. For Fire Assay, a 50g samples was taken for fire assay and analysed by Atomic Absorption Spectroscopy (AAS) for Gold. For 24CBRC062 (57-58m) sample with 107g/t Au, this sample was completed with an overlimit method; Au by 50g sample using fire assay and gravimetric finish.
Drilling techniques	• Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g.	Drill Method was Reverse Circulation drilling.Hole diameters are 146mm

Criteria	JORC Code explanation	Commentary
	core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	
Drill sample recovery	 Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	 Drillholes and sample depths were recorded in hard copy format during drilling including description of lithology and sample intervals. Qualitative assessment of sample recovery and moisture content of drill samples was recorded. Sample recoveries were generally high, and moisture in samples minimal. In some instances, where ground water influx was high, wet/moist samples were collected. The sample system cyclone was cleaned at the end of each hole and as required to minimise down-hole and cross-hole contamination. No relationship is known to exist between sample recovery and grade, in part due to in-ground variation in grade. A potential bias due to loss/gain of fine/coarse material is not suspected.
Logging	 Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and % of the relevant intersections logged. 	 All samples were geologically logged by Marmota geologists. The holes have not been geotechnically logged. Geological logging is qualitative. Chip trays containing 1m geological subsamples were collected. 100% of any reported intersections in this announcement have had geological logging completed.
Sub-sampling techniques and sample preparation	 If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	 Composite samples averaging 2.1 kg were collected for laboratory assay. Composite samples were collected with a 50mm tube by diagonally spearing individual samples within bags. 1m Spilt samples averaging 2.6kg were collected directly off the sample cyclone at 1 metre intervals down the length of the drill hole. The 1m split samples were kept at the drill site a selection of samples was completed from initial 4m composite results. The 1m samples were then collected and dispatched to the lab. It is considered representative samples were collected after homogenizing of sample through drilling cyclone and unbiased spearing of sample to target of p80 at 75 µm. No samples checked for size after pulverizing failed to meet sizing target in the sample batches relevant to the report. Duplicate samples were introduced into the sample stream by the Company.

Criteria	JORC Code explanation	Commentary
Quality of assay data and laboratory tests	 The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established. 	 Samples from Campfire Bore RC holes were analysed in the following manner: 4m Composites: ALS were used for analytical work of the 4m composite samples. ALS Adelaide (Sample Preparation) and ALS Perth (analytical) were used for analytical work of the 4m composite samples. Aqua Regia Digest: Analysed by Inductively Coupled Plasma Mass Spectrometry (ICP-MS) of Au. Splits 1m samples: ALS Adelaide (Sample Preparation) and ALS Perth (analytical) were used for analytical work of the 1m split samples. ALS were used for analytical work of the 1m split samples. ALS Adelaide (Sample Preparation) and ALS Perth (analytical) were used for analytical work of the 1m split samples. Lead Collection Fire Assay was used for Au (50g) and analysed using Atomic Absorption Spectroscopy (AAS). For 24CBRC062 (57-58m) sample with 107g/t Au, this sample was completed with an overlimit method; Au by 50g sample using fire assay and gravimetric finish. For all samples, the Company introduced QA/QC samples at a ratio of one QA/QC sample for every 30 drill samples. The laboratory introduced additional QA/QC samples (blanks, standards, checks) at a ratio of greater than 1 QA/QC sample for every 10 samples. Both the Company and laboratory QA/QC samples indicate acceptable levels of accuracy and precision have been established. Duplicates were introduced into the sample stream by the Company. The laboratory completed repeat assays on various samples.
Verification of sampling and assaying	 The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	 An alternative company representative has checked the calculation of the quoted intersections. No twinned holes were drilled in the program. No adjustments have been made to the assay data.
Location of data points	 Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	 For Campfire Bore, drill hole coordinate information was collected using an RTX Differential GPS system with an autonomous accuracy of ± 2.5 centimetres utilising GDA 94 Zone 53. Down hole surveys were undertaken at 30m intervals downhole, or as requested by the geologist.

Criteria	JORC Code explanation	Commentary
		 Area is approximately flat lying and topographic control uses SRTM 90 DEM.
Data spacing and distribution	 Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	 Holes were located to follow up specific geological and mineralisation targets. Drill hole spacing is irregular as indicated in Appendix 2.
Orientation of data in relation to geological structure	 Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	 Drill lines were orientated with respect to previously drilled mineralisation and interpreted structure. Therefore, a sampling bias should not have occurred.
Sample security	The measures taken to ensure sample security.	 Company staff collected all laboratory samples. Samples submitted to the laboratory were transported and delivered by Company staff.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	No audit of data has been completed to date.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
<i>Mineral tenement and land tenure status</i>	 Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	 Campfire Bore Deposit EL 6569 is part of the Golden Moon JV (GMJV), where Marmota has 90% Title (subject to ministerial approval) and Coombedown Resources has 10% Title. The EL is located approximately 100 km southwest of Coober Pedy in South Australia. There are no non-government royalties, historical sites or environmental issues. Exploration is conducted within lands of the Antakirinja Matu-Yankunytjatjara Native Title Determination Area. The tenements are in good standing.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	 The tenents are in good standing. Exploration in the Campfire Bore (Sandstone Area) region has been carried out by a number of exploration companies previously including: Stockdale Prospecting Limited (1981-83) Roebuck Resources (1986-90) Norscom Pty Ltd (1993) Dominion Gold Operations Pty Ltd, Resolute Resources Pty Limited and Coombedown Resources Pty Ltd (1994-1999) Dominion Gold Operations Pty Ltd, Coombedown Resources Pty Ltd (1999-2006) Dominion Gold Operations Pty Ltd, Coombedown Resources Pty Ltd (2006-2012), Southern Gold Limited joint venture agreement with Dominion Gold to explore the licences for gold. Challenger Gold Operations, Coombedown Resources Pty Ltd (2012-2018), Trafford Resources Gold (purchased Southern Gold) joint venture with Challenger Gold Operations to explore the licence for gold CAMPFIRE BORE DEPOSIT DRILLING SUMMARY: Dominion (1996 -1997): Aircore (AC): 13 holes for 924 metres Reverse Circulation (RC): 24 holes for 7,586 metres Reverse Circulation (RC): 24 holes for 2,991 metres

Criteria	JORC Code explanation	Commentary			
Geology	Deposit type, geological setting and style of mineralisation.	 All drilling occurred within geology of the Christie Domain of the western Gawler Craton. The Christie Domain is largely underlain by late Archaean Mulgathing Complex which comprises metasedimentary successions interlayered with Banded Iron Formations (BIF), chert, carbonates and calc-silicates. Marmota is targeting Challenger-style Late Archaean gold whilst also considering occurrence of a variety of other mineralisation styles which may exist in the tenement area. 			
Drill hole Information	 A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	Appendix 2 to the ASX Release.			
Data aggregation methods	 In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	 Any intersections are calculated by simple averaging of 1m or 4m samples. Where there are duplicate or repeat samples, an average Au grade is reported. Where aggregated intercepts are presented in the report, they may include shorter lengths of high-grade mineralisation; these shorter lengths are also tabulated. No metal equivalents are reported. 			
Relationship between mineralisatio n widths and intercept lengths	 These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known'). 	 Drill coverage is considered sufficient to establish approximate true widths due the current geological understanding of mineralisation dip and strike Mineralisation intersections are downhole lengths; exact true widths are unknown but are similar to the intersection lengths as the mineralised zones are approximately normal to hole inclinations. 			
Diagrams	 Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a 	See Figures within ASX release			

Criteria	JORC Code explanation	Commentary
	plan view of drill hole collar locations and appropriate sectional views.	
Balanced reporting	 Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	 A cut-off grade of 9 g/t (9,000 ppb) gold was applied in reviewing assay results and deemed to be appropriate at this stage in reporting of exploration results. Reporting is considered balanced.
Other substantive exploration data	 Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	
Further work	 The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	 See attached release Marmota is currently reviewing results received to date and preparing additional work programs and additional drilling.

Hole ID	Easting (GDA94 z53)	Northing (GDA94 z53)	RL	Dip	Azimuth	EOH Depth
24CBRC001	381,558	6,722,419	173	-60	127	114
24CBRC002	381,542	6,722,431	173	-60	127	120
24CBRC003	381,525	6,722,444	173	-60	127	126
24CBRC004	381,510	6,722,456	173	-60	127	132
24CBRC005	381,553	6,722,454	173	-60	127	138
24CBRC006	381,531	6,722,471	173	-60	127	162
24CBRC007 24CBRC008	381,509 381,582	6,722,489 6,722,463	173 173	-60 -60	127 127	180 150
24CBRC009	381,558	6,722,481	173	-60	127	150
24CBRC010	381,533	6,722,502	173	-60	127	174
24CBRC011	381,507	6,722,520	173	-60	127	186
24CBRC012	381,622	6,722,465	173	-60	127	132
24CBRC013	381,607	6,722,476	173	-60	127	150
24CBRC014	381,591	6,722,488	173	-60	127	162
24CBRC015	381,574	6,722,502	173	-60	127	192
24CBRC016	381,576	6,722,515	173	-60	127	234
24CBRC017	381,640	6,722,483	173	-60	127	150
24CBRC018	381,624	6,722,495	173	-60	127	186
24CBRC019	381,607	6,722,508	173	-60	127	216
24CBRC020	381,647	6,722,509	173	-60	127	192
24CBRC021	381,632	6,722,520	173	-60	127	198
24CBRC022	381,618	6,722,531	173 173	-60	127	228
24CBRC023 24CBRC024	381,563 381,597	6,722,525 6,722,531	173	-60 -60	127 127	246 252
24CBRC024	381,480	6,722,625	173	-60	127	120
24CBRC026	381,479	6,722,669	173	-60	127	126
24CBRC027	381,480	6,722,722	173	-60	127	180
24CBRC028	381,479	6,722,770	172	-60	127	234
24CBRC029	381,530	6,722,624	173	-60	127	132
24CBRC030	381,588	6,722,585	173	-60	127	281
24CBRC031	381,572	6,722,597	173	-60	127	312
24CBRC032	381,590	6,722,520	173	-60	127	270
24CBRC033	381,621	6,722,513	173	-60	127	234
24CBRC034	381,602	6,722,543	173	-60	127	312
24CBRC035	381,650	6,722,569	173	-60	127	192
24CBRC036	381,634	6,722,581	173	-60	127	183
24CBRC037 24CBRC038	381,623	6,722,589	173 173	-60 -60	127 127	174 186
24CBRC038 24CBRC039	381,610 381,597	6,722,599 6,722,609	173	-60	127	186
24CBRC039	381,579	6,722,624	174	-60	127	132
24CBRC040	381,693	6,722,568	173	-60	127	108
24CBRC042	381,678	6,722,579	173	-60	127	108
24CBRC043	381,661	6,722,592	173	-60	127	114

24CBRC044 381,631 6,722,625 174 -60 127 90 24CBRC045 381,722 6,722,577 173 -60 127 132 24CBRC047 381,683 6,722,592 173 -60 127 132 24CBRC049 381,726 6,722,591 173 -60 127 114 24CBRC050 381,716 6,722,597 173 -60 127 114 24CBRC051 381,707 6,722,507 173 -60 127 144 24CBRC052 381,707 6,722,570 173 -60 127 102 24CBRC053 381,847 6,722,516 173 -60 127 102 24CBRC056 381,826 6,722,621 174 -60 127 102 24CBRC057 381,782 6,722,621 174 -60 127 72 24CBRC058 381,783 6,722,621 174 -60 127 72 24CBRC050 <	246006044	201 (21	6 733 635	174	60	107	00
24CBRC046 381,702 6,722,592 173 -60 127 120 24CBRC047 381,683 6,722,607 173 -60 127 132 24CBRC049 381,726 6,722,590 173 -60 127 114 24CBRC050 381,716 6,722,590 173 -60 127 114 24CBRC051 381,707 6,722,604 173 -60 127 84 24CBRC053 381,701 6,722,577 173 -60 127 96 24CBRC054 381,844 6,722,516 173 -60 127 102 24CBRC055 381,844 6,722,516 173 -60 127 102 24CBRC056 381,826 6,722,621 174 -60 127 72 24CBRC057 381,763 6,722,635 173 -60 127 72 24CBRC058 381,763 6,722,635 173 -60 127 96 24CBRC050 <td< th=""><th></th><th>,</th><th></th><th></th><th></th><th></th><th></th></td<>		,					
24CBRC047 381,683 6,722,607 173 -60 127 132 24CBRC048 381,736 6,722,581 173 -60 127 114 24CBRC050 381,716 6,722,597 173 -60 127 114 24CBRC051 381,707 6,722,570 173 -60 127 84 24CBRC053 381,701 6,722,577 173 -60 127 96 24CBRC053 381,844 6,722,577 173 -60 127 102 24CBRC056 381,826 6,722,571 173 -60 127 102 24CBRC056 381,826 6,722,621 174 -60 127 102 24CBRC058 381,782 6,722,623 173 -60 127 72 24CBRC059 381,807 6,722,623 173 -60 127 92 24CBRC050 381,798 6,722,644 173 -60 127 90 24CBRC061 <td< th=""><th></th><th>,</th><th></th><th></th><th></th><th></th><th></th></td<>		,					
24CBRC048 381,736 6,722,581 173 -60 127 108 24CBRC049 381,726 6,722,590 173 -60 127 114 24CBRC050 381,707 6,722,597 173 -60 127 126 24CBRC051 381,707 6,722,577 173 -60 127 96 24CBRC053 381,847 6,722,577 173 -60 127 102 24CBRC054 381,847 6,722,529 173 -60 127 102 24CBRC055 381,844 6,722,529 173 -60 127 102 24CBRC056 381,826 6,722,621 174 -60 127 72 24CBRC058 381,763 6,722,623 173 -60 127 92 24CBRC060 381,798 6,722,623 173 -60 127 92 24CBRC061 381,799 6,722,643 173 -60 127 96 24CBRC063 <td< th=""><th></th><th>· · · · · · · · · · · · · · · · · · ·</th><th></th><th></th><th></th><th></th><th></th></td<>		· · · · · · · · · · · · · · · · · · ·					
24CBRC049 381,726 6,722,590 173 -60 127 114 24CBRC050 381,716 6,722,597 173 -60 127 114 24CBRC052 381,707 6,722,570 173 -60 127 126 24CBRC052 381,701 6,722,577 173 -60 127 96 24CBRC055 381,847 6,722,516 173 -60 127 102 24CBRC055 381,846 6,722,529 173 -60 127 102 24CBRC056 381,826 6,722,621 174 -60 127 72 24CBRC058 381,783 6,722,623 173 -60 127 72 24CBRC061 381,798 6,722,644 173 -60 127 96 24CBRC061 381,829 6,722,648 173 -60 127 90 24CBRC061 381,815 6,722,552 173 -60 127 90 24CBRC063			· · ·	-			
24CBRC050 381,716 6,722,597 173 -60 127 114 24CBRC051 381,707 6,722,604 173 -60 127 126 24CBRC052 381,709 6,722,570 173 -60 127 84 24CBRC053 381,847 6,722,577 173 -60 127 102 24CBRC054 381,847 6,722,529 173 -60 127 102 24CBRC056 381,826 6,722,529 173 -60 127 72 24CBRC056 381,763 6,722,621 174 -60 127 72 24CBRC059 381,807 6,722,623 173 -60 127 92 24CBRC061 381,779 6,722,624 173 -60 127 96 24CBRC062 381,829 6,722,622 173 -60 127 90 24CBRC063 381,815 6,722,595 173 -60 127 102 24CBRC063		· · · · · · · · · · · · · · · · · · ·					
24CBRC051 381,707 6,722,604 173 -60 127 126 24CBRC052 381,709 6,722,570 173 -60 127 96 24CBRC054 381,847 6,722,577 173 -60 127 102 24CBRC054 381,844 6,722,516 173 -60 127 102 24CBRC055 381,826 6,722,529 173 -60 127 102 24CBRC057 381,763 6,722,635 173 -60 127 72 24CBRC060 381,798 6,722,644 173 -60 127 96 24CBRC061 381,779 6,722,644 173 -60 127 96 24CBRC061 381,799 6,722,644 173 -60 127 96 24CBRC061 381,815 6,722,648 173 -60 127 90 24CBRC063 381,815 6,722,648 173 -60 127 102 24CBRC064		,					
24CBRC052 381,709 6,722,570 173 -60 127 84 24CBRC053 381,701 6,722,577 173 -60 127 96 24CBRC054 381,847 6,722,515 173 -60 127 102 24CBRC055 381,826 6,722,529 173 -60 127 102 24CBRC056 381,826 6,722,635 173 -60 127 72 24CBRC059 381,763 6,722,635 173 -60 127 72 24CBRC060 381,798 6,722,623 173 -60 127 96 24CBRC061 381,779 6,722,624 173 -60 127 96 24CBRC062 381,829 6,722,52 173 -60 127 102 24CBRC063 381,815 6,722,624 173 -60 127 102 24CBRC063 381,829 6,722,555 173 -60 127 66 24CBRC065 38			, ,				
24CBRC053 381,701 6,722,577 173 -60 127 96 24CBRC054 381,847 6,722,495 173 -60 127 102 24CBRC055 381,824 6,722,526 173 -60 127 102 24CBRC056 381,782 6,722,529 173 -60 127 72 24CBRC056 381,763 6,722,623 173 -60 127 72 24CBRC060 381,793 6,722,643 173 -60 127 92 24CBRC061 381,779 6,722,658 173 -60 127 96 24CBRC063 381,815 6,722,652 173 -60 127 90 24CBRC063 381,829 6,722,552 173 -60 127 102 24CBRC064 381,815 6,722,555 173 -60 127 102 24CBRC065 381,991 6,722,657 173 -60 127 78 24CBRC066 3							
24CBRC054 381,847 6,722,495 173 -60 127 102 24CBRC055 381,826 6,722,516 173 -60 127 102 24CBRC056 381,826 6,722,529 173 -60 127 72 24CBRC057 381,783 6,722,623 173 -60 127 72 24CBRC060 381,798 6,722,623 173 -60 127 92 24CBRC061 381,798 6,722,623 173 -60 127 96 24CBRC062 381,829 6,722,624 173 -60 127 96 24CBRC063 381,815 6,722,648 173 -60 127 90 24CBRC064 381,882 6,722,552 173 -60 127 102 24CBRC065 381,899 6,722,552 173 -60 127 102 24CBRC066 381,991 6,722,652 173 -60 127 78 24CBRC068 3							
24CBRC055 381,844 6,722,516 173 -60 127 102 24CBRC056 381,826 6,722,529 173 -60 127 102 24CBRC057 381,782 6,722,621 174 -60 127 72 24CBRC058 381,763 6,722,623 173 -60 127 72 24CBRC060 381,798 6,722,623 173 -60 127 92 24CBRC061 381,799 6,722,658 173 -60 127 96 24CBRC062 381,829 6,722,622 173 -60 127 102 24CBRC063 381,815 6,722,552 173 -60 127 102 24CBRC064 381,899 6,722,570 173 -60 127 102 24CBRC067 381,907 6,722,595 173 -60 127 78 24CBRC067 381,991 6,722,652 173 -60 127 78 24CBRC068							
24CBRC056 381,826 6,722,529 173 -60 127 102 24CBRC057 381,783 6,722,621 174 -60 127 72 24CBRC058 381,763 6,722,623 173 -60 127 72 24CBRC060 381,807 6,722,623 173 -60 127 96 24CBRC061 381,779 6,722,622 173 -60 127 90 24CBRC062 381,829 6,722,622 173 -60 127 90 24CBRC063 381,815 6,722,622 173 -60 127 90 24CBRC064 381,882 6,722,552 173 -60 127 66 24CBRC065 381,999 6,722,550 173 -60 127 102 24CBRC066 381,907 6,722,595 173 -60 127 78 24CBRC068 381,955 6,722,652 173 -60 127 78 24CBRC070 381							
24CBRC057 381,782 6,722,621 174 -60 127 72 24CBRC058 381,763 6,722,635 173 -60 127 72 24CBRC059 381,798 6,722,623 173 -60 127 92 24CBRC060 381,798 6,722,623 173 -60 127 96 24CBRC061 381,779 6,722,658 173 -60 127 96 24CBRC062 381,829 6,722,622 173 -60 127 90 24CBRC063 381,815 6,722,552 173 -60 127 102 24CBRC065 381,899 6,722,570 173 -60 127 102 24CBRC066 381,997 6,722,652 173 -60 127 78 24CBRC068 381,955 6,722,652 173 -60 127 78 24CBRC069 381,944 6,722,667 173 -60 127 78 24CBRC071 381							
24CBRC058 381,763 6,722,635 173 -60 127 72 24CBRC059 381,807 6,722,623 173 -60 127 92 24CBRC060 381,798 6,722,623 173 -60 127 96 24CBRC061 381,799 6,722,622 173 -60 127 90 24CBRC062 381,815 6,722,622 173 -60 127 90 24CBRC063 381,815 6,722,522 173 -60 127 102 24CBRC064 381,822 6,722,552 173 -60 127 102 24CBRC066 381,907 6,722,595 173 -60 127 102 24CBRC067 381,911 6,722,652 173 -60 127 78 24CBRC068 381,955 6,722,679 173 -60 127 78 24CBRC070 381,998 6,722,679 173 -60 127 78 24CBRC071 38							
24CBRC059 381,807 6,722,623 173 -60 127 92 24CBRC060 381,798 6,722,644 173 -60 127 96 24CBRC061 381,779 6,722,658 173 -60 127 96 24CBRC062 381,815 6,722,622 173 -60 127 90 24CBRC063 381,815 6,722,648 173 -60 127 102 24CBRC064 381,820 6,722,552 173 -60 127 102 24CBRC065 381,907 6,722,595 173 -60 127 102 24CBRC066 381,907 6,722,685 173 -60 127 78 24CBRC068 381,911 6,722,661 173 -60 127 78 24CBRC070 381,981 6,722,679 173 -60 127 72 24CBRC071 381,983 6,722,701 173 -60 127 78 24CBRC073 38		•					
24CBRC060 381,798 6,722,644 173 -60 127 96 24CBRC061 381,779 6,722,658 173 -60 127 90 24CBRC062 381,829 6,722,622 173 -60 127 90 24CBRC063 381,815 6,722,648 173 -60 127 102 24CBRC064 381,882 6,722,552 173 -60 127 66 24CBRC065 381,899 6,722,595 173 -60 127 102 24CBRC066 381,907 6,722,685 173 -60 127 96 24CBRC063 381,911 6,722,685 173 -60 127 78 24CBRC069 381,944 6,722,667 173 -60 127 78 24CBRC071 381,981 6,722,679 173 -60 127 78 24CBRC073 381,953 6,722,701 173 -60 127 78 24CBRC073 381							
24CBRC061 381,779 6,722,658 173 -60 127 96 24CBRC062 381,829 6,722,622 173 -60 127 90 24CBRC063 381,815 6,722,622 173 -60 127 102 24CBRC064 381,882 6,722,552 173 -60 127 66 24CBRC066 381,999 6,722,570 173 -60 127 66 24CBRC066 381,997 6,722,655 173 -60 127 96 24CBRC067 381,911 6,722,652 173 -60 127 78 24CBRC068 381,955 6,722,652 173 -60 127 78 24CBRC070 381,998 6,722,667 173 -60 127 78 24CBRC071 381,981 6,722,679 173 -60 127 78 24CBRC073 381,953 6,722,701 173 -60 127 78 24CBRC075 382,		•					
24CBRC062 381,829 6,722,622 173 -60 127 90 24CBRC063 381,815 6,722,648 173 -60 127 102 24CBRC064 381,822 6,722,552 173 -60 127 66 24CBRC065 381,899 6,722,570 173 -60 127 66 24CBRC066 381,907 6,722,595 173 -60 127 102 24CBRC067 381,911 6,722,685 173 -60 127 78 24CBRC069 381,944 6,722,661 173 -60 127 78 24CBRC071 381,981 6,722,667 173 -60 127 78 24CBRC072 381,983 6,722,709 173 -60 127 78 24CBRC073 381,953 6,722,700 173 -60 127 78 24CBRC074 381,923 6,722,703 173 -60 127 78 24CBRC075 382		· · · · · · · · · · · · · · · · · · ·					
24CBRC063 381,815 6,722,648 173 -60 127 102 24CBRC064 381,882 6,722,552 173 -60 127 66 24CBRC065 381,899 6,722,570 173 -60 127 102 24CBRC066 381,907 6,722,595 173 -60 127 102 24CBRC067 381,911 6,722,685 173 -60 127 78 24CBRC068 381,955 6,722,661 173 -60 127 78 24CBRC070 381,998 6,722,661 173 -60 127 78 24CBRC071 381,981 6,722,679 173 -60 127 78 24CBRC072 381,967 6,722,690 173 -60 127 78 24CBRC073 381,953 6,722,701 173 -60 127 78 24CBRC074 381,923 6,722,700 173 -60 127 78 24CBRC075 38		· · · · · · · · · · · · · · · · · · ·					
24CBRC064 381,882 6,722,552 173 -60 127 66 24CBRC065 381,899 6,722,570 173 -60 127 102 24CBRC066 381,907 6,722,595 173 -60 127 102 24CBRC067 381,911 6,722,685 173 -60 127 96 24CBRC068 381,955 6,722,661 173 -60 127 78 24CBRC070 381,944 6,722,661 173 -60 127 78 24CBRC071 381,981 6,722,667 173 -60 127 78 24CBRC071 381,981 6,722,679 173 -60 127 78 24CBRC072 381,953 6,722,701 173 -60 127 78 24CBRC073 381,953 6,722,701 173 -60 127 78 24CBRC074 381,923 6,722,700 173 -60 127 78 24CBRC075 382							
24CBRC065 381,899 6,722,570 173 -60 127 66 24CBRC066 381,907 6,722,595 173 -60 127 102 24CBRC067 381,911 6,722,685 173 -60 127 96 24CBRC068 381,955 6,722,652 173 -60 127 78 24CBRC070 381,998 6,722,661 173 -60 127 78 24CBRC071 381,981 6,722,679 173 -60 127 78 24CBRC072 381,967 6,722,690 173 -60 127 78 24CBRC073 381,953 6,722,701 173 -60 127 78 24CBRC073 381,923 6,722,723 173 -60 127 78 24CBRC075 382,010 6,722,723 173 -60 127 78 24CBRC076 381,995 6,722,712 173 -60 127 78 24CBRC077 381,							
24CBRC066 381,907 6,722,595 173 -60 127 102 24CBRC067 381,911 6,722,685 173 -60 127 96 24CBRC068 381,955 6,722,652 173 -60 127 78 24CBRC069 381,944 6,722,661 173 -60 127 78 24CBRC070 381,998 6,722,679 173 -60 127 72 24CBRC071 381,981 6,722,679 173 -60 127 78 24CBRC072 381,953 6,722,701 173 -60 127 78 24CBRC073 381,923 6,722,701 173 -60 127 78 24CBRC074 381,923 6,722,723 173 -60 127 78 24CBRC075 382,010 6,722,688 173 -60 127 78 24CBRC076 381,995 6,722,712 173 -60 127 78 24CBRC077 381,							
24CBRC067 381,911 6,722,685 173 -60 127 96 24CBRC068 381,955 6,722,652 173 -60 127 78 24CBRC069 381,944 6,722,661 173 -60 127 78 24CBRC070 381,998 6,722,667 173 -60 127 72 24CBRC071 381,998 6,722,679 173 -60 127 72 24CBRC072 381,967 6,722,690 173 -60 127 78 24CBRC073 381,953 6,722,701 173 -60 127 78 24CBRC074 381,923 6,722,723 173 -60 127 78 24CBRC075 382,010 6,722,688 173 -60 127 78 24CBRC076 381,995 6,722,712 173 -60 127 78 24CBRC078 381,995 6,722,723 172 -60 127 90 24CBRC079 381,9							
24CBRC068 381,955 6,722,652 173 -60 127 78 24CBRC069 381,944 6,722,661 173 -60 127 78 24CBRC070 381,998 6,722,667 173 -60 127 72 24CBRC071 381,981 6,722,679 173 -60 127 72 24CBRC072 381,953 6,722,679 173 -60 127 78 24CBRC073 381,953 6,722,701 173 -60 127 78 24CBRC074 381,923 6,722,701 173 -60 127 78 24CBRC075 382,010 6,722,688 173 -60 127 78 24CBRC076 381,995 6,722,700 173 -60 127 78 24CBRC077 381,979 6,722,712 173 -60 127 78 24CBRC078 381,965 6,722,723 172 -60 127 90 24CBRC079 381,9							
24CBRC069 381,944 6,722,661 173 -60 127 78 24CBRC070 381,998 6,722,667 173 -60 127 66 24CBRC071 381,981 6,722,679 173 -60 127 72 24CBRC072 381,967 6,722,690 173 -60 127 78 24CBRC073 381,953 6,722,701 173 -60 127 78 24CBRC074 381,923 6,722,701 173 -60 127 78 24CBRC075 382,010 6,722,688 173 -60 127 78 24CBRC076 381,995 6,722,700 173 -60 127 78 24CBRC076 381,995 6,722,712 173 -60 127 78 24CBRC078 381,965 6,722,723 172 -60 127 90 24CBRC079 381,943 6,722,739 173 -60 127 90 24CBRC080 382,0		•					
24CBRC070 381,998 6,722,667 173 -60 127 66 24CBRC071 381,981 6,722,679 173 -60 127 72 24CBRC072 381,967 6,722,690 173 -60 127 78 24CBRC073 381,953 6,722,701 173 -60 127 78 24CBRC074 381,923 6,722,723 173 -60 127 78 24CBRC075 382,010 6,722,688 173 -60 127 78 24CBRC076 381,995 6,722,700 173 -60 127 78 24CBRC076 381,995 6,722,712 173 -60 127 78 24CBRC078 381,995 6,722,712 173 -60 127 90 24CBRC079 381,943 6,722,739 173 -60 127 90 24CBRC080 382,038 6,722,739 173 -60 127 90 24CBRC081 382,0		· · · · · · · · · · · · · · · · · · ·					
24CBRC071 381,981 6,722,679 173 -60 127 72 24CBRC072 381,967 6,722,690 173 -60 127 78 24CBRC073 381,953 6,722,701 173 -60 127 78 24CBRC074 381,923 6,722,701 173 -60 127 78 24CBRC074 381,923 6,722,723 173 -60 127 78 24CBRC075 382,010 6,722,688 173 -60 127 78 24CBRC076 381,995 6,722,710 173 -60 127 78 24CBRC076 381,995 6,722,712 173 -60 127 78 24CBRC078 381,995 6,722,712 173 -60 127 90 24CBRC079 381,943 6,722,739 173 -60 127 90 24CBRC080 382,038 6,722,718 173 -60 127 90 24CBRC081 382,0							
24CBRC072 381,967 6,722,690 173 -60 127 78 24CBRC073 381,953 6,722,701 173 -60 127 78 24CBRC074 381,923 6,722,723 173 -60 127 78 24CBRC074 381,923 6,722,723 173 -60 127 78 24CBRC075 382,010 6,722,688 173 -60 127 78 24CBRC076 381,995 6,722,700 173 -60 127 78 24CBRC076 381,995 6,722,712 173 -60 127 78 24CBRC078 381,965 6,722,723 172 -60 127 90 24CBRC079 381,943 6,722,739 173 -60 127 90 24CBRC080 382,038 6,722,706 173 -60 127 90 24CBRC081 382,023 6,722,718 173 -60 127 90 24CBRC082 382,0		· · · · · · · · · · · · · · · · · · ·					
24CBRC073 381,953 6,722,701 173 -60 127 78 24CBRC074 381,923 6,722,723 173 -60 127 84 24CBRC075 382,010 6,722,688 173 -60 127 78 24CBRC076 381,995 6,722,700 173 -60 127 78 24CBRC076 381,995 6,722,712 173 -60 127 78 24CBRC077 381,979 6,722,712 173 -60 127 84 24CBRC078 381,965 6,722,723 172 -60 127 90 24CBRC079 381,943 6,722,739 173 -60 127 90 24CBRC080 382,038 6,722,706 173 -60 127 90 24CBRC081 382,023 6,722,718 173 -60 127 90 24CBRC082 382,008 6,722,730 173 -60 127 90 24CBRC083 381,9							
24CBRC074381,9236,722,723173-601278424CBRC075382,0106,722,688173-601277824CBRC076381,9956,722,700173-601277824CBRC077381,9796,722,712173-601278424CBRC078381,9656,722,723172-601279024CBRC079381,9436,722,739173-601279024CBRC080382,0386,722,694173-601279024CBRC081382,0236,722,706173-601279024CBRC082382,0086,722,718173-601279024CBRC083381,9946,722,730173-601279024CBRC084381,9776,722,744173-601279024CBRC085381,9306,722,823173-6012790		· · · · · · · · · · · · · · · · · · ·					
24CBRC075382,0106,722,688173-601277824CBRC076381,9956,722,700173-601277824CBRC077381,9796,722,712173-601278424CBRC078381,9656,722,723172-601279024CBRC079381,9436,722,739173-601279024CBRC080382,0386,722,694173-601279024CBRC081382,0236,722,706173-601279024CBRC082382,0086,722,718173-601279024CBRC083381,9946,722,730173-601279024CBRC084381,9776,722,744173-601279024CBRC085381,9306,722,823173-6012790							
24CBRC076 381,995 6,722,700 173 -60 127 78 24CBRC077 381,979 6,722,712 173 -60 127 84 24CBRC078 381,965 6,722,723 172 -60 127 90 24CBRC079 381,943 6,722,739 173 -60 127 90 24CBRC080 382,038 6,722,739 173 -60 127 90 24CBRC081 382,023 6,722,706 173 -60 127 90 24CBRC082 382,008 6,722,718 173 -60 127 90 24CBRC083 381,994 6,722,730 173 -60 127 90 24CBRC084 381,977 6,722,744 173 -60 127 90 24CBRC085 381,930 6,722,823 173 -60 127 90		· · · · · · · · · · · · · · · · · · ·					
24CBRC077381,9796,722,712173-601278424CBRC078381,9656,722,723172-601279024CBRC079381,9436,722,739173-601279024CBRC080382,0386,722,694173-601278424CBRC081382,0236,722,706173-601279024CBRC082382,0086,722,718173-601279024CBRC083381,9946,722,730173-601279624CBRC084381,9776,722,744173-601279024CBRC085381,9306,722,823173-6012778							
24CBRC078 381,965 6,722,723 172 -60 127 90 24CBRC079 381,943 6,722,739 173 -60 127 90 24CBRC080 382,038 6,722,694 173 -60 127 84 24CBRC081 382,023 6,722,706 173 -60 127 90 24CBRC082 382,008 6,722,706 173 -60 127 90 24CBRC083 381,994 6,722,718 173 -60 127 90 24CBRC084 381,977 6,722,730 173 -60 127 90 24CBRC085 381,930 6,722,744 173 -60 127 90							
24CBRC079 381,943 6,722,739 173 -60 127 90 24CBRC080 382,038 6,722,694 173 -60 127 84 24CBRC081 382,023 6,722,706 173 -60 127 90 24CBRC082 382,023 6,722,706 173 -60 127 90 24CBRC082 382,008 6,722,718 173 -60 127 90 24CBRC083 381,994 6,722,730 173 -60 127 96 24CBRC084 381,977 6,722,744 173 -60 127 90 24CBRC085 381,930 6,722,823 173 -60 127 90							
24CBRC080382,0386,722,694173-601278424CBRC081382,0236,722,706173-601279024CBRC082382,0086,722,718173-601279024CBRC083381,9946,722,730173-601279624CBRC084381,9776,722,744173-601279024CBRC085381,9306,722,823173-6012778		· · · · · · · · · · · · · · · · · · ·					
24CBRC081382,0236,722,706173-601279024CBRC082382,0086,722,718173-601279024CBRC083381,9946,722,730173-601279624CBRC084381,9776,722,744173-601279024CBRC085381,9306,722,823173-6012778							
24CBRC082 382,008 6,722,718 173 -60 127 90 24CBRC083 381,994 6,722,730 173 -60 127 96 24CBRC084 381,977 6,722,744 173 -60 127 90 24CBRC085 381,930 6,722,823 173 -60 127 90							
24CBRC083 381,994 6,722,730 173 -60 127 96 24CBRC084 381,977 6,722,744 173 -60 127 90 24CBRC085 381,930 6,722,823 173 -60 127 78							
24CBRC084 381,977 6,722,744 173 -60 127 90 24CBRC085 381,930 6,722,823 173 -60 127 78		· · · · · · · · · · · · · · · · · · ·					
24CBRC085 381,930 6,722,823 173 -60 127 78							
		381,977					
24CBRC086 381,930 6,722,875 174 -60 127 84	24CBRC085	381,930	6,722,823				
	24CBRC086	381,930	6,722,875	174	-60	127	84